

Report No.:

Test Time: 2026-09-28 18:19

Luminaire Property

Luminaire Manufacturer:

Luminaire Description: 15D

Luminous Length (mm): -76

Voltage: 230.7 V

Power: 35.80 W

Lamp Description: BLX V13C F90 3000K

Luminous Width (mm): -76

Current: 0.160 A

Power Factor: 0.967

Photometric Results

CIE Class: Direct

Measurement Flux: 4210.1 lm

Downward Ratio: 100%

Horizontal Diffuse Angle(50%): H17.8

Vertical Diffuse Angle(50%): V17.8

Luminaire Efficacy Rating (LER): 117.65

Max. Intensity: 28093.62 cd

S/MH(C0/C180): 0.31

Total Rated Lamp Lumens: 4210.1 lm

Efficiency: 100%


Upward Ratio: 0%

Central Intensity: 27003.59 cd


Pos of Max. Intensity: H0 V2

S/MH(C90/C270): 0.31

Picture Of Luminaire



Luminous Intensity Distribution Curve



Unit: cd

— C0-C180 — C90-C270

C Plane (°):0.0-180.0: 180.0

Test Lab:

Test Type: TYPE C

Temperature:

Operator:

Gamma Plane (°):0.0-90.0:1.0



Test Device: CHL-6E

Distance: 3.010 m

Humidity:

Inspector:


Luminous Intensity Distribution Curve



C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:


Luminous Intensity Distribution Curve(cd/klm)



C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Isocandela (rectangle)



Imax (100%): 28094 cd

(10%): 2809 cd	(16%): 4495 cd
(25%): 7023 cd	(40%): 11237 cd
(63%): 17699 cd	(100%): 28094 cd

C Plane (°):0.0-180.0: 180.0

Test Lab:

Test Type: TYPE C

Temperature:

Operator:

Gamma Plane (°):0.0-90.0:1.0


Test Device: CHL-6E

Distance: 3.010 m

Humidity:

Inspector:

IsoLux Plot



Mounting Height: 10.0m Max Lux(100%): 280.4 lx

(1%): 2.8 lx	(2%): 5.6 lx
(5%): 14.0 lx	(10%): 28.0 lx
(20%): 56.1 lx	(50%): 140.2 lx
(100%): 280.4 lx	

C Plane (°):0.0-180.0: 180.0

Test Lab:

Test Type: TYPE C

Temperature:

Operator:

Gamma Plane (°):0.0-90.0:1.0


Test Device: CHL-6E

Distance: 3.010 m


Humidity:

Inspector:

Illuminance at a Distance



Vertical IsoLux Plot



Lowest(m): 1.0m Highest(m): 11.0m Max Lux: 27003.6 lx
— (1%): 270.0 lx — (2%): 540.1 lx
— (5%):1350.2 lx — (10%):2700.4 lx
— (20%):5400.7 lx — (50%):13501.8 lx
— (100%):27003.6 lx

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Area Flux Table


Unit: lm

		Vertical plane																				
		-90	-80	-70	-60	-50	-40	-30	-20	-10	0	10	20	30	40	50	60	70	80	90		
Flux(E)	Flux(T)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	53.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	336.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	512.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	744.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	941.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1108.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1414.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1743.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	2115.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	2567.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	3087.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	3609.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	4246.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	4924.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	5629.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	6362.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	7127.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	7924.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	8729.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	9546.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	10387.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	11246.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	12127.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	13029.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	13946.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	14887.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	15846.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	16829.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	17846.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	18887.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	19946.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	21029.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	22146.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	23287.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	24446.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	25629.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	26846.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	28087.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	29346.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	30629.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	31946.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	33287.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	34646.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	36029.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	37446.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	38887.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	40346.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	41829.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	43346.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	44887.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	46446.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	48029.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	49646.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	51287.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	52946.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	54629.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0			

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

The Average Illuminance Effective Figure



C Plane (°): 0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°): 0.0-90.0: 1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

UGR Table

Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	20.5	21.2	20.8	21.4	21.5	20.0	20.6	20.2	20.8	21.0
3H	21.4	22.0	21.7	22.3	22.5	20.7	21.3	21.0	21.6	21.8
4H	21.7	22.2	22.0	22.5	22.7	20.9	21.4	21.2	21.7	21.9
6H	21.7	22.2	22.0	22.5	22.8	20.9	21.4	21.2	21.7	22.0
8H	21.7	22.2	22.0	22.5	22.8	20.8	21.3	21.2	21.6	21.9
12H	21.7	22.1	22.0	22.4	22.8	20.8	21.3	21.1	21.6	21.9
X=4H Y=2H	20.9	21.5	21.2	21.7	22.0	20.4	21.0	20.7	21.3	21.5
3H	21.9	22.4	22.3	22.7	23.0	21.3	21.8	21.7	22.1	22.4
4H	22.2	22.6	22.6	23.0	23.3	21.5	21.9	21.9	22.3	22.6
6H	22.3	22.7	22.7	23.0	23.4	21.5	21.9	21.9	22.3	22.7
8H	22.3	22.6	22.7	23.0	23.4	21.5	21.8	21.9	22.2	22.6
12H	22.2	22.5	22.7	22.9	23.4	21.4	21.8	21.9	22.2	22.6
X=8H Y=4H	22.2	22.6	22.6	23.0	23.4	21.6	21.9	22.0	22.3	22.7
6H	22.3	22.6	22.8	23.0	23.5	21.6	21.9	22.0	22.3	22.7
8H	22.3	22.6	22.8	23.0	23.5	21.5	21.8	22.0	22.2	22.7
12H	22.3	22.5	22.7	22.9	23.4	21.5	21.7	22.0	22.2	22.7
X=12H Y=4H	22.2	22.5	22.6	22.9	23.3	21.5	21.8	21.9	22.2	22.7
6H	22.3	22.5	22.7	23.0	23.4	21.5	21.8	22.0	22.2	22.7
8H	22.3	22.5	22.7	22.9	23.4	21.5	21.7	22.0	22.2	22.7
Variations with the observer position at spacings:										
S=1.0H	+0.5/-0.6					+0.4/-0.6				
S=1.5H	+1.1/-1.1					+0.8/-1.3				
S=2.0H	+2.0/-1.6					+1.6/-2.1				

Calculate in accordance with CIE Pub.117. The table is revised with 4210lm ($8\log(F/F_0) = 5.0$).

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

FLUX DISTRIBUTION TABLE BASED ON THE IESNA LUMINAIRE CLASSIFICATION SYSTEM

	ZONE	LUMENS	% LAMP LUMENS
	FORWARD LIGHT	2444	58.0
	FL (0°-30°)	2155	51.2
	FM (30°-60°)	240	5.7
	FH (60°-80°)	47	1.1
	FVH (80°-90°)	1	0.0
	BACK LIGHT	1767	42.0
	BL (0°-30°)	1525	36.2
	BM (30°-60°)	205	4.9
	BH (60°-80°)	36	0.9
	BVH (80°-90°)	0	0.0
	UP LIGHT	0	0.0
	UL (90°-100°)	0	0.0
	UH (100°-180°)	0	0.0
	TRAPPED LIGHT	NA	NA

BUG(Backlight,Uplight,Glare) Rating Base On TM-15-07	
Asymmetrical Luminaire Types (Type I,II,III,IV)	B3 U0 G0
Quadrilateral Symmetrical Luminaire Types (Type V,Area Light)	B3 U0 G0

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	26820.8	25.7	25.7	0.61	0.61
1.0-2.0	26128.8	75.0	100.7	1.78	2.39
2.0-3.0	24972.4	119.5	220.1	2.84	5.23
3.0-4.0	23637.4	158.2	378.4	3.76	8.99
4.0-5.0	22158.4	190.6	569.0	4.53	13.52
5.0-6.0	20466.8	215.1	784.1	5.11	18.62
6.0-7.0	18582.2	230.7	1014.8	5.48	24.10
7.0-8.0	16630.6	238.0	1252.9	5.65	29.76
8.0-9.0	14740.3	238.9	1491.8	5.68	35.43
9.0-10.0	12959.0	234.5	1726.3	5.57	41.00
10.0-11.0	11299.5	225.8	1952.1	5.36	46.37
11.0-12.0	9764.7	213.5	2165.6	5.07	51.44
12.0-13.0	8344.5	198.1	2363.7	4.70	56.14
13.0-14.0	7027.6	179.9	2543.6	4.27	60.42
14.0-15.0	5839.9	160.3	2703.9	3.81	64.22
15.0-16.0	4802.3	140.7	2844.7	3.34	67.57
16.0-17.0	3915.4	121.9	2966.6	2.90	70.46
17.0-18.0	3187.6	105.1	3071.7	2.50	72.96
18.0-19.0	2616.2	91.0	3162.7	2.16	75.12
19.0-20.0	2169.9	79.4	3242.2	1.89	77.01
20.0-21.0	1819.0	69.9	3312.0	1.66	78.67
21.0-22.0	1535.9	61.7	3373.8	1.47	80.13
22.0-23.0	1300.0	54.6	3428.3	1.30	81.43
23.0-24.0	1106.2	48.4	3476.7	1.15	82.58
24.0-25.0	949.4	43.2	3519.9	1.03	83.61
25.0-26.0	820.5	38.7	3558.6	0.92	84.53
26.0-27.0	714.3	34.9	3593.6	0.83	85.36
27.0-28.0	626.1	31.7	3625.3	0.75	86.11
28.0-29.0	551.4	28.9	3654.1	0.69	86.79
29.0-30.0	490.0	26.5	3680.6	0.63	87.42
30.0-31.0	439.9	24.5	3705.1	0.58	88.00
31.0-32.0	398.8	22.8	3727.9	0.54	88.55
32.0-33.0	365.2	21.5	3749.4	0.51	89.06
33.0-34.0	338.1	20.5	3769.9	0.49	89.54
34.0-35.0	316.2	19.6	3789.5	0.47	90.01
35.0-36.0	297.8	19.0	3808.5	0.45	90.46

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	281.2	18.3	3826.8	0.44	90.90
37.0-38.0	266.9	17.8	3844.6	0.42	91.32
38.0-39.0	254.4	17.4	3862.0	0.41	91.73
39.0-40.0	243.5	17.0	3879.0	0.40	92.14
40.0-41.0	231.8	16.5	3895.5	0.39	92.53
41.0-42.0	220.5	16.0	3911.5	0.38	92.91
42.0-43.0	210.7	15.6	3927.1	0.37	93.28
43.0-44.0	200.9	15.2	3942.3	0.36	93.64
44.0-45.0	191.8	14.7	3957.0	0.35	93.99
45.0-46.0	182.4	14.3	3971.3	0.34	94.33
46.0-47.0	173.0	13.8	3985.1	0.33	94.65
47.0-48.0	164.0	13.3	3998.3	0.31	94.97
48.0-49.0	156.0	12.8	4011.1	0.30	95.27
49.0-50.0	148.1	12.4	4023.5	0.29	95.57
50.0-51.0	140.6	11.9	4035.4	0.28	95.85
51.0-52.0	134.6	11.5	4046.9	0.27	96.12
52.0-53.0	129.3	11.2	4058.2	0.27	96.39
53.0-54.0	122.5	10.8	4069.0	0.26	96.65
54.0-55.0	115.7	10.3	4079.3	0.25	96.89
55.0-56.0	111.2	10.0	4089.4	0.24	97.13
56.0-57.0	105.5	9.7	4099.0	0.23	97.36
57.0-58.0	99.9	9.2	4108.3	0.22	97.58
58.0-59.0	94.6	8.8	4117.1	0.21	97.79
59.0-60.0	88.6	8.4	4125.5	0.20	97.99
60.0-61.0	84.4	8.1	4133.5	0.19	98.18
61.0-62.0	79.5	7.7	4141.2	0.18	98.36
62.0-63.0	74.6	7.3	4148.5	0.17	98.54
63.0-64.0	70.5	6.9	4155.4	0.16	98.70
64.0-65.0	64.8	6.4	4161.8	0.15	98.85
65.0-66.0	59.9	6.0	4167.8	0.14	98.99
66.0-67.0	55.4	5.6	4173.3	0.13	99.13
67.0-68.0	50.5	5.1	4178.5	0.12	99.25
68.0-69.0	46.0	4.7	4183.1	0.11	99.36
69.0-70.0	41.5	4.3	4187.4	0.10	99.46
70.0-71.0	37.7	3.9	4191.3	0.09	99.55
71.0-72.0	32.8	3.4	4194.7	0.08	99.63

C Plane (°):0.0-180.0: 180.0
Test Lab:
Test Type: TYPE C
Temperature:
Operator:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Gamma Plane (°):0.0-90.0:1.0
Test Device: CHL-6E
Distance: 3.010 m
Humidity:
Inspector:

Candlepower Table

Unit: cd

G\C	C0.0	C180.0								
G0.0	27003.6	27003.6								
G1.0	27774.0	25502.0								
G2.0	28093.6	23145.5								
G3.0	28006.2	20644.3								
G4.0	27537.3	18361.7								
G5.0	26439.7	16294.7								
G6.0	24730.1	14402.6								
G7.0	22577.1	12619.1								
G8.0	20391.0	10935.0								
G9.0	18284.8	9350.5								
G10.0	16324.9	7876.0								
G11.0	14476.5	6520.6								
G12.0	12739.7	5322.0								
G13.0	11043.6	4272.7								
G14.0	9371.6	3422.4								
G15.0	7802.1	2763.5								
G16.0	6378.9	2264.5								
G17.0	5136.6	1881.6								
G18.0	4164.1	1568.0								
G19.0	3419.4	1313.2								
G20.0	2843.4	1103.6								
G21.0	2389.6	939.3								
G22.0	2008.2	806.6								
G23.0	1693.1	692.0								
G24.0	1439.8	600.0								
G25.0	1231.8	526.2								
G26.0	1056.9	467.4								
G27.0	912.1	420.6								
G28.0	788.5	382.9								
G29.0	684.5	349.8								
G30.0	597.0	328.7								
G31.0	527.7	306.0								
G32.0	471.9	289.5								
G33.0	425.2	274.4								
G34.0	387.5	265.4								
G35.0	357.3	254.8								
G36.0	334.7	244.2								

C Plane (°):0.0-180.0: 180.0

Test Lab:

Test Type: TYPE C

Temperature:

Operator:

Gamma Plane (°):0.0-90.0:1.0

Test Device: CHL-6E

Distance: 3.010 m

Humidity:

Inspector:

Candlepower Table (Continue 1)

Unit: cd

G\C	C0.0	C180.0								
G37.0	312.1	233.7								
G38.0	294.0	227.7								
G39.0	278.9	217.1								
G40.0	269.9	208.1								
G41.0	256.3	193.0								
G42.0	247.3	185.4								
G43.0	236.7	173.4								
G44.0	227.7	165.8								
G45.0	217.1	156.8								
G46.0	205.0	150.8								
G47.0	193.0	143.2								
G48.0	180.9	138.7								
G49.0	170.4	134.2								
G50.0	159.8	128.1								
G51.0	153.8	120.6								
G52.0	147.8	116.1								
G53.0	141.7	111.6								
G54.0	132.7	104.0								
G55.0	128.1	98.0								
G56.0	123.6	95.0								
G57.0	117.6	85.9								
G58.0	111.6	84.4								
G59.0	104.0	78.4								
G60.0	98.0	73.9								
G61.0	95.0	70.9								
G62.0	88.9	63.3								
G63.0	84.4	61.8								
G64.0	78.4	57.3								
G65.0	73.9	49.8								
G66.0	72.4	43.7								
G67.0	66.3	39.2								
G68.0	60.3	36.2								
G69.0	55.8	31.7								
G70.0	51.3	27.1								
G71.0	48.2	24.1								
G72.0	39.2	19.6								
G73.0	36.2	18.1								

C Plane (°):0.0-180.0: 180.0

Test Lab:

Test Type: TYPE C

Temperature:

Operator:

Gamma Plane (°):0.0-90.0:1.0

Test Device: CHL-6E

Distance: 3.010 m

Humidity:

Inspector:

Unit: cd

[illegible]

Inspector: